

Everspin MRAM Magnetic Field Immunity

Everspin Technologies, Inc. is the worldwide leader in designing, manufacturing, and commercially shipping discrete and embedded MRAM memories into markets and applications where data persistence and integrity, low latency, and security are paramount.

Over 50 Million Everspin MRAM products are functioning reliably in discrete and embedded MRAM products deployed in data center, cloud storage, energy, industrial, automotive, and transportation products world-wide. This is over 2 trillion field device hours of reliable MRAM operation.

It is a major design objective that all Everspin MRAM be immune to any data modification due to ambient magnetic fields encountered in these and other applications where MRAM is an effective and valuable design element.

Case Studies

For more detailed descriptions of some current applications using Everspin MRAM, see the Case Studies on our web site: <u>www.everspin.com</u>.


Everspin MRAM Magnetic Immunity Exceeds the IEC Magnetic Immunity Standard

The International Electrotechnical Commission (IEC) Standard IEC-61000-4-8 specifies that all electronics devices must function within a magnetic field of at least 13 Oersted (1,034 A/m).

All Everspin MRAM products have a Magnetic Immunity rating of at least 25 Oersted (2,000 A/m) under all operating and handling conditions.

Magnetic Shielding in the Package

All Everspin MRAM products contain embedded magnetic shielding within their packages. The shields are fabricated from high permeable metal which redirects ambient magnetic fields, significantly reducing field strength at the die.





1



Magnetic Immunity (H_{max}) Specifications for Everspin MRAM

The maximum magnetic field immunity specification value is the demonstrated maximum magnetic field strength that the MRAM can be subjected to without affecting the memory data.

The H_{max} value for READ or Standby also applies to all unpowered handling cases for an MRAM, including manufacturing.

Magnetic Immunity (H _{max})				
MRAM Family Part Number	Mode	Temp Rating	Package	Max. Field (A/m)
MR256A08B MR0A08B	WRITE	All Ratings	All	2,000
	READ or Standby	All Ratings	All	8,000

Table 1 – Parallel Interface 256Kb and 1Mbx8 MRAM Products

All values are advisory. Please consult the latest Everspin product data sheet for current Magnetic Immunity values.

Table 2 – Parallel Interface 1Mbx16 and 4Mb MRAM Products

Magnetic Immunity (H _{max})				
MRAM Family Part Number	Mode	Temp Rating	Package	Max. Field (A/m)
MR0A16A MR2A08A MR2A16A	WRITE	Commercial	TSOP2, BGA	2,000
		Industrial and Extended	BGA	2,000
			TSOP2	10,000
		AEC-Q100 Grade 1	TSOP2	2,000
	READ or Standby	Commercial	TSOP2, BGA	8,000
		Industrial and Extended	BGA	8,000
			TSOP2	10,000
		AEC-Q100 Grade 1	TSOP2	8,000

All values are advisory. Please consult the latest Everspin product data sheet for current Magnetic Immunity values.



Table 3 – Parallel Interface 16Mb MRAM Products

Magnetic Immunity (H _{max})				
MRAM Family Part Number	Mode	Temp Rating	Package	Max. Field (A/m)
MR4A08B MR4A16B	WRITE	All Ratings	All	8,000
	READ or Standby	All Ratings	All	8,000

All values are advisory. Please consult the latest Everspin product data sheet for current Magnetic Immunity values.

Table 4 – Serial Perpheral Interface (SPI) MRAM Products

Magnetic Immunity (H _{max})				
MRAM Family Part Number	Mode	Temp Rating	Package	Max. Field (A/m)
MR25H256 MR25H10 MR20H40 MR25H40 MR10Q010	WRITE	All Ratings	All	12,000
	READ or Standby	All Ratings	All	12,000

All values are advisory. Please consult the latest Everspin product data sheet for current Magnetic Immunity values.

3



Magnetic Field Immunity of Everspin MRAM

CONTACT EVERSPIN

Everspin Technologies, Inc.

Information in this document is provided solely to enable system and software implementers to use Everspin Technologies products. There are no express or implied licenses granted hereunder to design or fabricate any integrated circuit or circuits based on the information in this document. Everspin Technologies reserves the right to make changes without further notice to any products herein. Everspin makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does Everspin Technologies assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters, which may be provided in Everspin Technologies data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters including "Typicals" must be validated for each customer application by customer's technical experts. Everspin Technologies does not convey any license under its patent rights nor the rights of others. Everspin Technologies products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the Everspin Technologies product could create a situation where personal injury or death may occur. Should Buyer purchase or use Everspin Technologies products for any such unintended or unauthorized application, Buyer shall indemnify and hold Everspin Technologies and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that Everspin Technologies was negligent regarding the design or manufacture of the part. Everspin[™] and the Everspin logo are trademarks of Everspin Technologies, Inc. All other product or service names are the property of their respective owners.

Copyright © 2015 Everspin Technologies, Inc.



Home Page:

www.everspin.com

World Wide Information Request

WW Headquarters - Chandler, AZ

1347 N. Alma School Road, Suite 220 Chandler, Arizona 85224 Tel: +1-877-347-MRAM (6726) Local Tel: +1-480-347-1111

Europe, Middle East and Africa

Everspin Sales Office Tel: +49 8168 998019

Japan

Everspin Sales Office Tel: +1 719 650-5012

Asia Pacific

Everspin Sales Office Tel: +86-136-0307-6129 Fax: +1-480-347-1175

Title: EST02880 MagnetidmmunityforEverspinMRAM073115